



DATA E HORA DE EMISSÃO: 11-ago-21 / 19:30

CÉLULA DE AVALIAÇÃO E MONITORIZAÇÃO DE RISCOS

Nº 17/2021


TEMPO QUENTE E SECO – PERIGO DE INCÊNDIO RURAL

De acordo com a informação meteorológica disponibilizada pelo Instituto Português do Mar e da Atmosfera (IPMA), para as próximas 48 horas realçam-se os seguintes aspetos:

- **Humidade Relativa do Ar (HRA)** – Amanhã (12AGO) prevê-se que os teores de HRA inferiores a 20%, com a fraca recuperação noturna. Na sexta-feira (13AGO), teores de HRA inferiores a 20%, podendo atingir valores inferiores a 15%.
- **Temperatura** – Aumento gradual da temperatura máxima pelo menos até 15AGO (domingo), com noites tropicais.
- **Vento** – Amanhã (12AGO) prevê-se que o vento sopra do quadrante nor-noroeste, até 40 km/h. A partir de 13AGO (sexta-feira), prevê-se uma diminuição da intensidade do vento, o qual passará a soprar do quadrante oeste.

Risco de incêndio rural em nível MÁXIMO.

Acompanhe as previsões meteorológicas em www.ipma.pt



EFEITOS EXPECTÁVEIS

Face à situação acima descrita, poderão ocorrer os seguintes efeitos:

- Considerando a previsão meteorológica, esperam-se condições favoráveis à eventual ocorrência e propagação de incêndios rurais.
- Possível afetação dos grupos populacionais mais vulneráveis.



AVISO À POPULAÇÃO

Centro Municipal de Emergência e Proteção Civil



MEDIDAS PREVENTIVAS

O SMPC recorda que, de acordo com as disposições legais em vigor, para os locais onde o índice de risco temporal de incêndio seja de nível MUITO ELEVADO OU MÁXIMO, não é permitido (a):

- Realização de queimadas, de fogueiras para recreio ou lazer, ou para confeção de alimentos;
- Utilização de equipamentos de queima e de combustão destinados à iluminação ou à confeção de alimentos;
- Queimar matos cortados e amontoados e qualquer tipo de sobrantes de exploração;
- O lançamento de balões com mecha acesa ou qualquer outro tipo de foguetes;
- Fumar ou fazer lume de qualquer tipo nos espaços florestais e vias que os circundem;
- A fumigação ou desinfestação em apiários com fumigadores que não estejam equipados com dispositivos de retenção de faúlhas.

Nos locais onde o índice de risco temporal de incêndio seja de nível MÁXIMO, não é permitido (a):

- O uso de motorroçadoras (exceto se possuírem fio de nylon), corta-matos e destroçadores e evite o uso de grades de discos.

O SMPC relembra ainda a importância de se proteger dos efeitos negativos do calor intenso na saúde mantendo-se informado, hidratado e fresco, devendo seguir as recomendações da DGS:

- Procurar ambientes frescos (preferencialmente climatizados).
- Evitar que o calor entre dentro das habitações, correr as persianas, ou portadas e mantenha o ar circulante dentro de casa refrescar a habitação e evite ligar fornos.
- Beber água ou sumos de fruta natural sem açúcar e evitar o consumo de bebidas alcoólicas.
- Evitar a exposição direta ao sol, principalmente entre as 11 e as 17 horas.
- Utilizar roupa solta (algodão), que cubra a maior parte do corpo, chapéu de abas largas e óculos de sol.
- Utilizar protetor solar com fator > 30 e renovar a sua aplicação de 2 em 2 horas;
- Escolher as horas de menor calor para viajar de carro.
- Não permanecer dentro de viaturas estacionadas e expostas ao sol, nem deixe os animais domésticos no carro;
- Evitar atividades que exijam grandes esforços físicos;
- Dar atenção especial a grupos mais vulneráveis ao calor, como crianças, idosos, doentes crónicos, grávidas, pessoas com mobilidade reduzida, trabalhadores com atividade no exterior ou pessoas isoladas.
- Ofereça água aos recém-nascidos, crianças, pessoas idosas e pessoas doentes porque podem não manifestar sede;
- Os doentes crónicos ou sujeitos a medicação e/ou dietas específicas devem seguir as recomendações do médico assistente;
- As crianças com menos de seis meses não devem ser sujeitas a exposição solar, devendo evitar-se a exposição direta de crianças com menos de três anos (usar roupa e protetor solar >50).

O SMPC recomenda a adequação dos comportamentos e atitudes com a adoção das necessárias medidas de prevenção e precaução, observando as proibições em vigor e tomando especial atenção à evolução dos próximos dias, disponível junto dos sítios da internet da ANEPC, do IPMA e da DGS, ou através da Linha "Proteção 24" (808 282 112).

Para mais informações: <https://www.dgs.pt/saude-ambiental-calor/recomendacoes.aspx>

www.prociiv.pt

www.ipma.pt





WARNING

Municipal Emergency & Civil Protection Center



DATE AND TIME OF ISSUE: 11-august-21 / 19:30

Nº 17/2021

RISK ASSESMENT CELL



HOT AND DRY WEATHER – WILDFIRE RISK

According to the meteorological information provided by the Portuguese Institute of Sea and Atmosphere (IPMA), we expect, for the next 48 hours, the following weather conditions:

- Air Humidity – 12th of august is predicted humidity levels lower than 20%, with the weak nocturnal recovery. On 13th of august, contents lower than 20%, which may reach values lower than 15%.
- Temperature – Gradual increase in maximum temperature until 15th of august, with tropical nights.
- Wind – 12th of august the wind is expected to blow from the north-northwest quadrant, up to 40 km/h. As of the 13th of august, a decrease in the intensity of the wind is expected, which will start to blow from the west quadrant.

Risk of rural fire at MAXIMUM level.

Follow the weather forecasts in www.ipma.pt



ANTICIPATED EFFECTS

In view of the situation described above, the following may occur:

- Considering the weather forecast, favourable conditions are expected for the eventual occurrence and spread of rural fires.
- Possible affectation of the most vulnerable population groups.



WARNING

Municipal Emergency & Civil Protection Center



PREVENTATIVE MEASURES

The SMPC recalls that, according to the legal provisions in force, for places where the temporal fire risk index is of VERY HIGH OR MAXIMUM level, it is not allowed:

- Carrying out fires, bonfires for recreation or leisure, or for making food;
- Use of firing and combustion equipment for lighting or cooking food;
- Burn cut and piled bush and any type of exploitation leftovers;
- Launching balloons with lit fuse or any other type of rockets;
- Smoke or light a fire of any kind in the forest spaces and roads that surround them;
- Fumigation or disinfestation in apiaries with fumigators that are not equipped with spark arresters.

In places where the temporal fire risk index is of the MAXIMUM level, it is not allowed (a):

- The use of machine tools (except if they have nylon thread), cutters and shredders and avoid the use of disc harrows.

The SMPC also recalls the importance of protecting yourself from the negative effects of intense heat on health by keeping informed, hydrated and fresh, and must follow the recommendations of the DGS:

- Look for cool environments (preferably climate-controlled).
- Prevent heat from entering the rooms, draw shutters or shutters and keep the air circulating inside the house to cool the room and avoid turning on ovens.
- Drink water or natural fruit juices without sugar and avoid the consumption of alcoholic beverages.
- Avoid direct exposure to the sun, especially between 11 am and 5 pm.
- Wear loose clothing (cotton) that covers most of the body, a wide-brimmed hat and sunglasses.
- Use sunscreen with a factor > 30 and renew your application every 2 hours;
- Choose the coolest hours to travel by car.
- Do not stay in parked vehicles exposed to the sun, nor leave pets in the car;
- Avoid activities that require great physical effort;
- Give special attention to groups more vulnerable to heat, such as children, the elderly, the chronically ill, pregnant women, people with reduced mobility, workers working outdoors or isolated people.
- Offer water to newborns, children, elderly and sick people because they may not be thirsty;
- Chronic patients or those subject to medication and/or specific diets should follow the recommendations of the treating physician;
- Children under six months of age should not be exposed to the sun, and direct exposure of children under three years of age should be avoided (wear clothes and sunscreen >50).

The SMPC recommends the adaptation of the necessary preventive and precautionary measures, observing the prohibitions in force and paying special attention to the evolution of the coming days, available from the websites of ANEPC, IPMA and DGS, or through the **"Protection 24" Line (808 282 112)**.

More info: <https://www.dgs.pt/saude-ambiental-calor/recomendacoes.aspx>

www.prociiv.pt



www.ipma.pt

